



3MP Wi-Fi Video Door Bell

Your Home's First Line of Smart Defense.

The Trueview 3MP Wi-Fi Video Doorbell features high-definition video, night vision, motion detection, two-way audio, and real-time app notifications. It supports both local and cloud storage, offering flexible recording options. Designed for outdoor use, its IP65-rated build makes it dustproof and water-resistant. The doorbell operates on a wired connection using a 5V-1A power supply, ensuring continuous and reliable home security.



Wi-Fi Network



256GB SD Card



Full Duplex Audio Intercom



Human Detection



Voice Prompt



Instant Visitor Video Call




IP65 Rating



Human Detection

The Trueview Wi-Fi Video doorbell uses AI and motion sensors to identify humans, ignoring animals or vehicles. This reduces false alerts, enhances security, and ensures relevant notifications.




3D Digital Noise Reduction

The 3D Digital Noise Reduction (3D DNR) improves video quality by reducing graininess and blurring in low-light or high-contrast conditions, analyzing both still and motion aspects for clarity.

Without 3D DNR

With 3D DNR






IP65 Rating

With an IP65 rating, the device is protected against dust and resistant to low-pressure water jets, making it suitable for outdoor use in various weather conditions.



Full-duplex Audio Intercom

Full-Duplex Audio Intercom enables seamless two-way communication, allowing both parties to talk and listen simultaneously, like a phone call.





Voice Prompt

Trueview Wi-Fi Door Bell has voice prompts for pre-recorded or customizable audio messages that guide users or visitors. These prompts can provide instructions or notify users about the doorbell's status or actions



Okay, I'll pick up the delivery now.



Customized Pre-recorded Voice Alarm

Customized Pre-recorded Voice Alarm lets the users play tailored or pre-set voice messages automatically for visit




Please leave the package In front door





Instant Visitor Video Call

Instant Visitor Video Call lets video doorbells send real-time video to your device, allowing you to see and talk to visitors remotely.



Smart Human Detection

The high-resolution camera and advanced software with sophisticated algorithms detect human shapes and movements, distinguishing them from objects or background noise.

Upon detection, the system triggers alerts, records events, and tracks movements in real time, ensuring prompt threat notifications, efficient monitoring, and enhanced safety.



3MP Wi-Fi Video Door Bell



FEATURES

- 3MP (2304 x 1296) Resolution
- Support Dual Band Wi-Fi Network 2.4G/5.8G
- Full Duplex Audio Intercom (Built-in High Sensitivity Mic & Speaker)
- Supports Bluetooth network configuration function, making network configuration more convenient and successful in three steps"
- Use as security camera
- Get Instant Visitor video call
- Customized Pre-recorded Voice Alarm
- Support Micro SD Card upto 256GB & Cloud Storage(Optional)
- Monitoring: Mobile/PC Software (TrueCloud)



Wi-Fi Network



256GB SD Card



Human Detection



Instant Visitor Video Call



Voice Prompt



IP65 Rating



Full-Duplex Audio Intercom

Technical Specifications

Product Code	T38241-A
Image Sensor	1/4.6" CMOS Sensor
Resolutions	3MP (2304 x 1296)
Lens	4mm
IR LED	1 Array
IR Distance	10 Meters
Video Compression Standard	H.264/H.265/H.265+
Video Streaming	Main Stream: 2304 x 1296 / 15 fps Sub Stream: 800 x 448 / 15 fps
Audio Input / Output	Two-way audio, Built-in microphone and speaker
Audio Compression Standard	AAC / G711A
Min Illumination	Black & White: 0.001 Lux
DNR	3D Digital Noise Reduction
White Balance	Auto
WDR	D-WDR
Mirror / Flip	On / Off
Electronic Shutter	Auto
AI Features	Motion Detection, Human Detection
Monitoring	Android, iOS, Windows (TrueCloud)
Storage	Support Micro SD Card upto 256GB & Cloud Storage (Optional)
Network Interface	WiFi6 dual-band 2.4G/5G,
Wireless standards	IEEE802.11b / g / a / n / ac / ax protocol
Protocol	N1

Button	Reset Button
Power Input	DC: 5V/1A (DC 2.1mm Connector)
Power Consumption	≤ 3W
Thunder Prevention	Standard IEC61000-4-5
Working Temperature / Humidity	-10° C to 50° C / 30% to 80% RH
Storage Temperature / Humidity	-20° C to 60° C / 20% to 90% RH
Housing Type	Plastic

Similar Products



Wi-Fi Battery
Powered Camera



Wi-Fi Robot
Camera with Screen



3MP Wi-Fi
Dome Camera



3MP Wi-Fi
Robot Camera



3MP Wi-Fi
Mini PT Camera



3MP Wi-Fi
Bullet Camera

* Note: Product specifications are subject to change without prior notice.