



Where Generative AI
Meets Indian Ingenuity



All-in-One Computer ADPM




The Most Advanced Software for
Education & Collaboration

trueCONTENT



30000

3D Images, Icons
and Cliparts



**Interactive
Periodic
Table**




3500

3D STEM Videos &
Simulation Games



e-BOOKS

Content from
Grade I to XII



trueTOOLS



Widgets

- Score Board
- Lucky Draw
- Split Screen
- Worksheets
- Magnifying Glass
- Spotlight & Curtain
- Pull Down Whiteboard



Multiple Tools

- Math Tools
- Text Editor
- Scientific Calculator
- Curved Text
- Sticky Notes
- Pixel Eraser
- Object Eraser
- Erase All



Activities

- Fill in the Blanks
- Flip Out
- Label Reveal
- Match Them Up
- Rank Order
- Super Sort
- Monster Quiz
- Blackboard

trueTOOLS



AI Tools

- Image Recognition
- Image OCR
- Text to Speech
- Speech to Text
- Math Solver
- Mind Maps
- Chat with AI



For Teachers

- Share Homework
- Check Assignments
- Create Reports
- Create Tests & Quizzes
- Generate Analysis
- Generate Ideas & Rubrics
- Generate Life Like Images



For Admins

- Monitor Usage
- Track Live Classes
- Decode Reports
- Manage Devices
- Create Data Insights
- Manage Content
- Track Lesson Progress

trueAi FEATURES



100+ Language

Identification
for OCR



Ai Powered

Image
Generator



Math Solver

Auto solve handwritten
maths equations

$$\sqrt{x+2}=5$$



Ai Chat

Ask anything !
Integrated Web
Search



Multiple Pens

Magic Pen, ABC Pen,
Rainbow Pen FX Pen
Laser Pen, Shape Pen,
Dotted Line Pen



Teaching Aids

Lesson Plans, Templates
Animations, Marketplace
Google Classroom



V-Series

L-V100 All-in-One Computer



Android 14



Octa Core
Processor



Up to 16GB RAM
& 256GB Memory



9H Toughened
Glass



60,000⁺ Hours
Screen Life



Zero Bonding
Panel



Mobile
Voting



Screen
Recorder



Type-C
Port



2 x 20W
Speakers



300 nits*
Brightness



HDMI
Output



Bluetooth
Connectivity



Anti Glare
Screen



4K UHD
Resolution



20 Point
Multi Touch



Easy Mind
Mapping



EDUCATION



CONFERENCING



ENTERTAINMENT


AiO Computer Hardware Features




4mm Toughened & Heat Tempered Glass




Infinite White Board with Palm Rest Writing feature




Smart Hand & Touch Gestures for various operations & functions



Smart Split Screen with Dual OS (Android + Windows)



Wireless Screen Sharing for up to 9 various devices



55" to 110"
SCREEN SIZE

Widest range of sizes to
best suit your requirements

Interactive Device Management System

MASTERFUL AND METICULOUS MANAGEMENT

- Remote Real-time Screen Control / View / Screenshot
- Application Management - Enable / Disable / Run / Uninstall
- Adjust Parameters - Brightness, Volume, Source, Languages
- Power management - Turn On/Off, Restart, Display On/Off
- Screen Lock Management - Lock, Un-Lock, Set Screen Lock
- Device-level usage history and reports




Gain control of the software
and apps on all the devices



Secure your data through
Private Server Integration




Send alerts or notifications
to single / group of devices



Gain the power, screen and
data control of your devices

Remotely control your Display devices at various locations



TECHNICAL SPECIFICATION

V Series (L-V100) AiO Computer 98 inch (247.6cm) A14 3B1G 8GB -128 GB with built-in Camera & Mic



DISPLAY

Diagonal Size	247.6cm (98 inch)
Bonding Technology	Zero Bonding
Display Orientation	Landscape
Screen Type	TFT LCD (Direct-LED Back light)
Aspect Ratio	16:9
Pixel Pitch	0.5622 (H) X 0.5622 (W)
Response	≤8ms
Resolution	3840 x 2160 pixels
Contrast Ratio	5000:1 Dynamic, 1200:1 Static
Brightness(cd/m ²)	400 cd/m ² ±10%
Display Area	2158.848mm (H) x 1214.352mm (V)
Color	16.7 million colors
View Angle	H:178° V:178°
LED Lifespan	60,000* hours

SYSTEM

OS	Android 14
CPU	Octa-Core A55, 1.5 GHz
Chipset	Gk6780 V100
GPU	Quad-Core MaliG52
RAM	8GB
Storage	128GB
OSD Language	Hindi, English, Spanish, French, Italian, Russian, etc
Connectivity	Bluetooth 5.0, Wi-Fi 802.11 ac/b/g/n/a (2.4 / 5GHz)

Video Format	PAL, NTSC
Optimum Resolution	3840 x 2160 pixels @ 60 Hz
Video / Picture Decoding	- AVS2 MP-10@L8.2, 4Kx2K@60fps - ITU-T H.265 Main 10 Profile@Level 5.1 High-tier, 4Kx2K@60fps - VP9 Profile 2 10-bit, 4Kx2K@60fps - SHVC, ATSC 3.0 (For H.265) - FHD HFR (For H.265) - H.264 AVC HP@L5.1 up to 4Kx2K@30fps - H.264 MVC up to 1080P@60fps - MPEG-1 MP/HL up to 1080P@60fps (ISO-11172) - MPEG-2 SP@ML,MP@HL, up to 1080P@60fps (ISO-13818) - Super-Clear, smooth edge - Support 3D detection - Support 2D to 3D - Support 0D/1D/2D Local Dimming - Support Ambi-Light - Support video rotation - AVS2 MP up to 4Kx2K@60fps - MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496) - WMV / VC-1 SP/MP/AP up to 1080P@60fps - AVS-P16 (AVS+) / AVS-P2 JiZhun Profile up to 1080P@60fps - Multiple language and multiple format sub-title video support - MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) - Supports JPEG thumbnail, scaling, rotation and transition effects - Supports *.mkv, *.wmv, *.mpg, *.mpeg, *.dat, *.avi, *.mov, *.iso, *.mp4 and *.jpg file formats
Video / Picture Encoding	- Independent JPEG and H.264 encoder with configurable performance/bit-rate - JPEG image encoding - H.264 video encoding up to 1080P@30fps with low latency
Support Resolution	3840x2160, 1920x1080, 1680x1050, 1600x1200, 1440x1050, 1360x768, 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4K
I/O Port	
Rear Input	TF Card x 1, USB2.0 x 2, HDMI in x 2, RS232 x 1, Touch USB x 1, Rj45 x 1, Line Out x 1, COAX x 1, Mic In x 1 HDMI Out x 1
Front Input	USB 3.0 x 2 (Both work on Android and OPS), HDMI In x 1, Touch USB x 1, Type-C x 1, Keys x 1
Media Format	
Audio	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP
Video	H.264, VP8, RV, WMV, AVS, H.263, MPEG4
Picture	JPG, BMP, PNG
Touch Features	
Touch Type	Infra-red Touch, 20 Point Touch (Android), 40 Points (Windows)
Glass Hardness	9H (Pencil), 7 (Mohs)

Glass Type	4mm Mohs, Heat Tempered Glass, Explosion Proof, Anti Glare, etc
Response Time	≤5ms
Touch Object	All Opaque objects, such as Finger, Stylus Pen etc.
Touch Resolution	32768 x 32768 pixels
Touch Accuracy	1mm
Tracking Rate	4m/s
Scan Rate	200Hz
MTF	60million touch by each points
Minimum Touch Object	≥1MM
Essential Apps	Including Whiteboard, Annotate, Timer, Calculator, Split Screen, Record, Spinner, Screen Capture, Screen Record, Screen Share, Browser, PDF reader, Media Player, Screen Cast, etc.
Compatibility	Chrome OS
Audio	
Speaker	2 x 20W
MICROPHONE	
Microphone Type	Linear array microphone
Microphone Quantity	8
Noise Ratio	67db
Sensitivity	-26 ± 1db
Pickup Voice Distance	≤10meters
Sampling Rate	16KHz
Features	Echo Cancellation
	Environmental noise suppression
	Sound source localization
	Sound Source tracking
	Reverberation removal
	Support for automatic gain
CAMERA	
Optical Lens Size	1/3.06" COMS Sensor
Resolution	8000 x 6000 / 4160 x 3120 / 3840 x 2160 / 2560 x 1440 / 1920 x 1080 / 1280 x 720 / 1024 x 576 / 960 x 540 / 640 x 360
Pixel Dot	1.12um x 1.12um
Video Compressed Format	MJPEG / YUV / H.264 / H.265
3D Noise Reduction	Support multi-level noise reduction
Shutter Type	Electronic Rolling shutter
Noise Ratio	≥39dB
Dynamic Range	≥45dB
Maximum Frame Rate	30FPS
View Angel	D: 117°
Distort	≤6%
AEC/Gain/White Balance	Auto
Video Format	2160P, 1920P, 1080P, 720P, 480P etc.
Lens	2.8mm Fixed

Communication Type	UVC
AI Gesture	AI Camera - Show your  Finger in front of the camera to turn on or off the Voice & Body Tracking
Note	Camera Resolution 13 Megapixel Supports In Android & In Windows 48 Megapixel Max.
Panel Management (Optional)	
Airgo DMS (Device Management System)	• Display Product information (Like Location, IP, MAC, Operation System Version, Specification etc.) • User management • Device management (Power on/off, Screen Lock, Sent Message, Program work flow) • Running log • Group management
Physical Specifications	
Handel	4
Panel Net Weight (Kg)	87.4±1Kg
Packed Weight (Kg)	128.55±1Kg
Panel Dimensions	2216mm x 1303mm x 91.6mm (W x H x D) (Without Wall Mounting Bracket or Floor Stand)
Packed Dimensions	2525mm x 1700mm x 325mm (W x H x D)
VESA Mount Point mm	1000 x 400
Power	
Power Requirements	AC 100 ~ 240V AC, 50/60Hz 6A
Energy Star Power Consumption	Normal ≤ 500W
Power Consumption (standby)	≤ 0.5W
Ultra-Quiet Fan-less Design	Yes
Environmental	
Operating Temperature	0°C to 40°C
Storage Temperature	-20° to 60°C
Operating Humidity	10% to 90% non-condensing humidity
Storage Humidity	10% to 90% non-condensing humidity
Packed Contents	
Kit	1 x AiO ADPM , 1 x Remote Controller , 1 x Wall Mount Bracket , 2 x Stylus , 1 x Power Cable .

Dimension

